



LEGEND

- ▲ WV EXISTING WATER VALVE
- W — EXISTING UNDERGROUND WATER LINE
- OHE — EXISTING OVERHEAD WIRE
- PP EXISTING UTILITY POLE
- EXISTING STREET SIGN
- ➔ CONVENTIONAL SIGNAL HEAD WITH BACKPLATE
- STOP LINE
- TYPE A BASE
- ☒ 120/240 VOLT SIGNAL CABINET
- ☒ CLASS 3 PREFORMED PULL BOX
- ☒ CLASS 1 PREFORMED PULL BOX
- ☒ COMBINATION POWER SUPPLY/LIGHTING CONTROLLER
- EXISTING SERVICE POLE
- CAPPED CONDUIT
- CONDUIT IN TRENCH
- CONDUIT PUSHED
- EXISTING CONDUIT
- CONDUIT ON BRIDGE
- CONDUIT IN MEDIAN
- 3" SIZE OF CONDUIT
- 3-20 #12 NUMBER & AWG SIZE OF CABLE
- TRAFFIC SIGN WITH FLASHER
- ☐ LOOP DETECTOR
- x EXISTING GUY WIRE ANCHOR
- x PROPOSED GUY WIRE ANCHOR
- TYPICAL YIELD LINE PAVEMENT MARKING

GENERAL NOTES

1. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS. THE COMMISSION DOES NOT WARRANT THE LOCATIONS OF THESE FACILITIES AS PRECISE. IT IS POSSIBLE THERE MAY BE OTHERS. THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXISTENCE AND PRECISE LOCATION OF ALL FACILITIES AND TO AVOID DAMAGE TO THEM.
2. CONTRACTOR SHALL NOT INSTALL POWER CONDUIT OR CABLES UNTIL MEETING WITH POWER COMPANY TO DETERMINE FINAL LOCATION.
3. ALL SIGNAL ITEMS AND CONSTRUCTION METHODS SHALL COMPLY WITH THE MISSOURI DEPARTMENT OF TRANSPORTATION STANDARDS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ELECTRICAL SERVICE FOR THE TRAFFIC SIGNAL. THE CONTRACTOR SHALL CONTACT THE UTILITY COMPANY PRIOR TO THE BEGINNING OF WORK TO OBTAIN THE UTILITY COMPANY REQUIREMENTS FOR THE SERVICE INSTALLATION.
5. ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OF THE CONSTRUCTION OF THIS PROJECT.

Exhibit C