




PART SECTION NEAR DRAIN



ELEVATION OF DRAIN



PART PLAN OF SLAB AT DRAIN



PLAN OF DRAIN

SLAB DRAIN DETAILS

Notes:

- Slab drains may be fabricated of either 1/4" welded sheets of ASTM A709 Grade 36 steel or from 1/4" structural steel tubing ASTM A500 or A501.
- Slab drain bracket assembly shall be ASTM A709 Grade 36 steel.
- Outside dimensions of drains are 8" x 4".
- Locate drains in slab by dimensions shown in Part Section Near Drain.
- Reinforcing steel shall be shifted to clear drains.
- The drains shall be galvanized in accordance with ASTM A123.
- Shop drawings will not be required for the slab drains.

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE PREPARED		7/23/2012	
ROUTE	STATE	MO	
DISTRICT	SHEET NO.	BR * *	
COUNTY		*	
JOB NO.		*	
CONTRACT ID.		*	
PROJECT NO.		*	
BRIDGE NO.		DRA 7	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.